



KORP RESOURCES PVT. LTD.

THE NAME YOU RELY THE CONFIDENCE WE BUILT

Ref no- KRPL/ MoEF/023/25

Date 20.06 2025

To
The Regional Officer,
Ministry of Environment and Forest,
Eastern Regional Office,
Chandrasekharapur, Bhubaneswar: 751023.

Sub:- Half yearly compliance on status of Environmental Clearance conditions of M/s Korp Resources Pvt Ltd. For the period from Oct 2024 to March 2025.

Sir,
In compliance to the conditions stipulated in grant of Environmental Clearance MOEF letter no- J-11015/1008/2007-IA II(M) dated 4.6.2009. Tantra Iron Ore Mine of M/s Korp Resources Pvt Ltd at Tensa, Dist: Sundergarh Odisha is submitting the Half yearly compliance on status of environmental clearance conditions for the period from Oct 2024 to March 2025. We have uploaded the compliance in website and also submitted in mail. We are enclosing the monitoring report and photographs and documents in support of compliances attended during the period. Submitted for kind information.

Thanking You.

Yours Faithfully.
For Tantra Iron Ore Mines,
M/s Korp Resources Pvt Ltd

(Mines Manager)

- Encl- 1. Status of Compliance Report.
2. Monitoring report for 6 months Oct 2024 to March 2025



KORP RESOURCES PVT. LTD.

THE NAME YOU RELY THE CONFIDENCE WE BUILT

HALF YEARLY COMPLIANCE STATUS OF ENVIRONMENTAL CLEARANCE CONDITIONS
OF M/S. KORP RESOURCES PRIVATE LIMITED FOR THE PERIOD
FROM OCTOBER 2024 TO MARCH 2025.
(Ref: MoEF Letter No. J-11015/1008/2007-IA.II (M) dated 04.06.2009)

Specific Conditions:																																			
Sl. No.	Description	Compliance Status																																	
1	Environmental clearance is accorded for production capacity of 1,20,000TPA (0.12million TPA) of iron ore only	EC was obtained on 04.06.2009 Letter No-(J-11015/1008/2007-IA,II(M)) and production thereafter are as follows: <table border="1"><tr><td>2009-10</td><td>0.00</td><td>2017-18</td><td>106200</td></tr><tr><td>2010-11</td><td>116557</td><td>2018-19</td><td>118700</td></tr><tr><td>2011-12</td><td>16800</td><td>2019-20</td><td>117500</td></tr><tr><td>2012-13</td><td>78230</td><td>2020-21</td><td>119100</td></tr><tr><td>2013-14</td><td>119800</td><td>2021-22</td><td>117200</td></tr><tr><td>2014-15</td><td>114000</td><td>2022-23</td><td>119700</td></tr><tr><td>2015-16</td><td>115600</td><td>2023-24</td><td>118700</td></tr><tr><td>2016-17</td><td>119300</td><td>2024-25</td><td>119894</td></tr></table>		2009-10	0.00	2017-18	106200	2010-11	116557	2018-19	118700	2011-12	16800	2019-20	117500	2012-13	78230	2020-21	119100	2013-14	119800	2021-22	117200	2014-15	114000	2022-23	119700	2015-16	115600	2023-24	118700	2016-17	119300	2024-25	119894
2009-10	0.00	2017-18	106200																																
2010-11	116557	2018-19	118700																																
2011-12	16800	2019-20	117500																																
2012-13	78230	2020-21	119100																																
2013-14	119800	2021-22	117200																																
2014-15	114000	2022-23	119700																																
2015-16	115600	2023-24	118700																																
2016-17	119300	2024-25	119894																																
ii.	All the conditions stipulated by the State Pollution Control Board, Odisha in their Consent to Establish shall be effectively implemented.	All the stipulations of CTE has been complied. .																																	
iii.	Necessary Forestry clearance under the Forest (Conservation) Act, 1980 for an area of 72.419ha forest land shall be obtained before starting mining operation in that area. No mining shall be undertaken in the forest area without obtaining requisite prior forestry clearance. The environmental clearance is subject to grant of forestry clearance.	Forest clearance as per FC act has been granted vide letter. No-F N0108/2000 FC Dated-14.6.2010																																	
iv.	The mining operations shall be restricted to above ground water table and it should not intersect the groundwater table. In case of working below the ground water table, prior approval of the Ministry of Environment and Forests and the Central Ground Water Authority shall be obtained, for which a detailed hydrogeological study shall be, carried out.	As the water table is 192 Mtr below the deepest mine working to be reached at conceptual, stage, so there will be no intersection / effect of mine working on ground water table. All operations of mines including mine excavation is restricted to above ground water table.																																	
v.	The project proponent shall ensure that no natural watercourse and/or water resources are obstructed	According to the hydrological study done there is no perennial natural water course or																																	

CIN : U51500WB1994PIC063926

GSTIN/UIN : 21AABCK3204C1ZJ

Tensa, Sundargarh, Orissa

161 Rabindra Sarani Kolkata700007

onkargroup@hotmail.com



KORP RESOURCES PVT. LTD.

THE NAME YOU RELY THE CONFIDENCE WE BUILT

	due to any mining operations. Adequate measures shall be taken for protection of Samij Nallah and also while diverting any seasonal channels originating from the mine lease, if any, during the course of mining operation.	resource in the ML area. Adequate steps taken by making check dams to prevent flow of sediment downstream. check dams in each seasonal water course is done. Settling tanks of adequate size is made along the water course.
vi.	The top soil, if any, shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation.	There is no generation of top soil. As per mining scheme there is no generation of top soil. In course of mining any soft material suitable for use in plantation is recovered, it is used in plantation purpose simultaneously.
vii.	The over burden (OB) generated during the mining operation shall be stacked in the earmarked area only and it should not be kept active for a long period of time and its phase-wise stabilization shall be carried out. There shall be one external over burden dump, the maximum height of the dump shall not exceed 10 m and the over all slope of the dump shall be maintained to 27°. The OB dump should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas use of geo-textiles shall be undertaken for stabilization of the dump. Backfilling shall start from the year 2018 onwards and shall be' completed by 2023. The backfilled area shall be afforested. Monitoring and management of rehabilitated areas should continue until the vegetation, becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forests and its Regional Office located at Bhubaneswar on six monthly basis.	OB generated is stacked in the area specified for dumping as per approved mining plan. Height of each step of the dump is kept 10-15 Mtr with proper width, so the average angle of slope is about 23° to 24° . There is one old dump with subgrade material plantation ihas been done in the foot region to prevent wash of materials to down stream by rain water. Local species like Simarua, Chakunda are planted,the best survival species of the region. As the dump is active no part of the dump is matured for fixing of Geotextile. Terracing of the dump is made to avoid erosion by surface runoff. <ul style="list-style-type: none">• There was provision for back filling in earlier, scheme 2009-14, Occurrence of ore proved by subsequent prospecting and in present scheme approved upto March 2028 there is no provision for back filling.
viii.	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the Karo River, the Kuradih River, the Samij Nallah and other water bodies. The water so collected shall be utilized for watering the mine area, roads, green belt	<ul style="list-style-type: none">• The garland drains have been. Properly sloped, deepened and widened.• Pits of suitable size has been developed along to garland drains and in corners.• Hume pipes have been provided in road crossing.

CIN : U51500WB1994PIC063926

GSTIN/UIN : 21AABCK3204C1ZJ

Tensa, Sundargarh, Orissa

161 Rabindra Sarani Kolkata700007

onkargroup@hotmail.com



KORP RESOURCES PVT. LTD.

THE NAME YOU RELY THE CONFIDENCE WE BUILT

	<p>development etc. The drains shall be regularly de-silted, particularly after the monsoon, and maintained properly. Garland drains, settling tanks and check dams of appropriate size, gradient and length shall be constructed both around the mine pit and the over burden dump to prevent run off of water and flow of sediments directly into the Karo River, the Kuradih River, the Samij Nallah and other water bodies and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper settling of the silt material. Sedimentation pits shall be constructed at the corners of the garland drains and desilted at regular intervals.</p>	<ul style="list-style-type: none">• Water is channelized / discharged through settling tank to retain the silt, so that clear water finally enters the Samij Nala• The capacity of two settling tanks is of 3000 m³, Each which can meet the requirement of maintaining proper water body to facilitate settling of sediments.• Besides two cemented settling tanks of size 20m X 15m X 2m (Avq.) 1200 m³ have been made scientifically with de-silting arrangement by which clear water will be recovered & used for plantation and other non-domestic purposes & balance silt free water will be discharged to the water course. These tanks also used for storing water collected by rain water harvesting• The sedimentation pond is de-silted regularly. Care is being taken to discharge sediment free clear water from the lease area. Two settling tanks having sufficient capacity is made so as the meet sudden rain fall and peak rain fall of the area. The sump capacity allows proper retention time which allows proper settling of sediments.• Sedimentation pits have been made in course and corner points of garland drains to prevent flow of sediment downstream and desilted regularly.
ix.	<p>Dimension of the retaining wall at the toe of the over burden dump and the over burden benches within the mine to check, run-off and siltation shall be based on the rainfall data.</p>	<p>Retaining walls are made at the tow of the dump, and in each terrace of OB dump of suitable dimension to check runoff and siltation. Cemented Stone protection wall made at the base of the OB dump to prevent flow of soft materials from OB benches.</p>
x.	<p>Plantation shall be raised in an area of 31 ha including 7.5m wide green belt in the safety zone around the mining lease, over burden dump, backfilled and reclaimed area, mine benches, roads etc. by planting the native species in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2500 plants per hectare.</p>	<p>Safety zone of 3.378 hact. covered by Plantation with 9365 Nos of trees. Besides plantation also done in parking area (Plot No1-450 Nos) , non mineralized area Plot -1 3650 Nos, Plot No-3- 2225 Nos), base region of the dumps 2100, Avenue1078 Nos have been done covering 2.872, total 6.25</p>

CIN : U51500WB1994PIC063926

GSTIN/UIN : 21AABCK3204C1ZJ

Tensa, Sundargarh, Orissa

161 Rabindra Sarani Kolkata700007

onkargroup@hotmail.com



KORP RESOURCES PVT. LTD.

THE NAME YOU RELY THE CONFIDENCE WE BUILT

		hectares have been done. Total 17340 No of trees have been planted. Infilling plantation is also done every year to maintain tree density of 2500 /Ha . as per report. Native species like Simarua, Neem, Chakunda planted.
xi.	Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of SPM and RSPM such as around crushing and screening plant, loading and unloading point and transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	<ul style="list-style-type: none">• Effective & regular water sprinkling is being done in critical areas. Regular monitoring of ambient air quality is being done which confirms to norms prescribed by the Central Pollution Control Board.• Environmental Monitoring Report for the period Oct 24 to March 25 is submitted. <p>It is seen that all the parameters are within limit.</p>
xii.	Regular monitoring of water quality upstream and downstream of the Samij Nallah shall be carried out and record of monitored data should be maintained and submitted to the Ministry of Environment and Forests, its Regional Office, Bhubneswar, the Central Groundwater Authority, the Regional Director, Central Ground Water Board, the State Pollution Control Board and the Central Pollution Control Board	Monitoring of the water quality of upstream and down-stream of Samij Nala and submitted to concerned authorities. (Ref monitoring report.)
xiii.	The project authority shall implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	<ul style="list-style-type: none">• A hydrological study have been done and submitted to DOWR, Govt. Odisha.• Regional Director, Central Ground Water Board was consulted and steps have been taken for rain water harvesting and ground water recharge.
xiv.	Regular monitoring of ground water level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers in and around the mining lease during the mining operation. The periodic monitoring [(at least four times in a year- pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season) shall be carried out in consultation with the State. Ground	<ul style="list-style-type: none">• The ground water level and quality have studied by 6 Nos. of existing wells both in and around the ML area.• Periodic monitoring is being done and monitoring data submitted.• As per the records and date-collected from SGWA & CGWA the water level is not depleting in this region.

CIN : U51500WB1994PIC063926

GSTIN/UIN : 21AABCK3204C1ZJ

Tensa, Sundargarh, Orissa

161 Rabindra Sarani Kolkata 700007

onkargroup@hotmail.com



KORP RESOURCES PVT. LTD.

THE NAME YOU RELY THE CONFIDENCE WE BUILT

	<p>Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional. Office Bhubneswar, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity, necessary corrective measures shall be carried out.</p>	
xv.	<p>The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of water (surface water and ground water, if any) required for the project.</p>	<p>Present requirement of water is 25 KI par day. For dust suppression, plantation it is about 5 to 8 cum per day which is met from rain water harvesting system. Rain harvest water is stored in large concrete tanks of 30 Mtr X 50 Mtr having depth 4 to 5 mtr is made in the lease area nearer to mineral processing plant (Crushing , Screening & stacking) For drinking and other uses water of borewell done inside the lease area to be used. NOC obtained from CGWA for drawl of water upto 35 KI par day.</p>
xvi.	<p>Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.</p>	<ul style="list-style-type: none">• A rain water conservation plan is already made and included in the Final EIA/ EMP Report.• Accordingly we have taken up the work of preparing small check dams to control the flow of rain water with boulder beds along the sloping ground which will help for arresting water.• Check dams has been made in the gutter in MI area which will help both in conservation and augmentation of ground water source.• Rain water harvesting project have been done planned for collection and use of rain water.
xvii.	<p>Vehicular emissions shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.</p>	<ul style="list-style-type: none">•Regular monitoring of the vehicle emissions is being done and the status of the vehicle maintenance is being done by our mechanical engineer of mine.•Before weighment and issue of gate pass covering of the trucks are ensured.•No over loading is done also it is checked online by Dept. of Mines, Odisha Govt.

CIN : U51500WB1994PIC063926

GSTIN/UIN : 21AABCK3204C1ZJ

Tensa, Sundargarh, Orissa

161 Rabindra Sarani Kolkata700007

onkargroup@hotmail.com



KORP RESOURCES PVT. LTD.

THE NAME YOU RELY THE CONFIDENCE WE BUILT

		<ul style="list-style-type: none">•Vehicle emission monitoring report are enclosed.
xxviii	No transportation of ore outside the mine lease area shall be carried out after the sunset.	Work done during general shift only in day light hours.
xix.	No blasting shall be carried out after the sunset Blasting operation shall be carried out only during the daytime. Controlled blasting shall be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.	Blasting is being carried out only in day time. Controlled blasting permission have been taken from DGMS and blasting is done accordingly. Also study has been done by NIT for fly rock and Ground vibration and blast design suggested is followed.
xx.	Drills shall either be operated with dust extractors or equipped with water injection system.	DTH drill machine with water injection system is used for blast hole drilling at mines.
xxi.	Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	<ul style="list-style-type: none">• Water sprinkling in vulnerable points has been made for effective dust suppression.• Loading and unloading areas efficient dust control arrangements like water sprinkling done with online sprinklers.•Spinklers are provided in all transfer points.
xxii.	Consent to operate shall be obtained from the State Pollution Control Board, Odisha prior to start of enhanced production from the mine.	Consent from OSPCB will be obtained after grant of EC. Presently CTO is obtained for 1.2 lakh tones production per year.
xxiii	Sewage treatment plant shall be installed for the colony. ETP shall also be provided for the workshop and wastewater generated during the mining operation.	There is no colony in ML area and no accommodation have provide inside the mine. Mine is worked in daylight hours in general shift only. There are about 37 employees in mine. Swerage management is done by soak pits. ETP has been provided for waste water generated from mines and workshop.
xxiv	Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.	Initial Pre-placement and periodical medical examination in 3/ 5 years interval by DGMS approved Doctors and examinations reports are submitted to DGMS and other authorities. Besides regular medical checkup camps are

CIN : U51500WB1994PIC063926

GSTIN/UIN : 21AABCK3204C1ZJ

Tensa, Sundargarh, Orissa

161 Rabindra Sarani Kolkata700007

onkargroup@hotmail.com



KORP RESOURCES PVT. LTD.

THE NAME YOU RELY THE CONFIDENCE WE BUILT

		organized by management.
xxv	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	The total staff and operatives & labors of the mines is about 37 nos regular and about 25-30 contractual who are staying in nearby vii/age / settlement. Work is done in general shift in day light hours only. No house is required to be provided within ML area.
xxvi	The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered fauna namely leopard, bear, elephant etc. spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State-Forest and Wildlife Department. All the safeguard measures brought out in the Wildlife Conservation Plan so prepared specific to this project site shall be effectively implemented. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. A copy of action plan shall be submitted to the Ministry of Environment and Forests and its Regional Office, Bhubaneswar.	A Site-specific Wild Life Management Plan has been prepared and has been approved by Chief Conservator of Forest (CCF) Wild Life. Conservation measures has been implemented as per the study and recommendation made thereof. Required funds has been deposited to forest department.
xxvi i	The critical parameters such as SPM, RSPM, NOx in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharged water shall also be monitored (TDS, DO, PH, Total Suspended Solids (TSS) and Cr6). The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location in public domain. The circular No. J-20012/1/2006-1A.II(M) dated 27.05.2009 issued by Ministry of Environment and Forests, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.	<ul style="list-style-type: none">• The parameters like SPM, RSPM (PM10), NOx & PPV at a distance of 300m is monitored periodically.• The parameters like TDS, DO, pH, TSS & Cr⁶ of discharge water are being monitored and the results are displayed at the main gate.• The monitored data have been uploaded on the website (https://www.korpresources.in) of the company as well as displayed on a display board at the project site in main gate which is well seen by public.

CIN : U51500WB1994PIC063926

GSTIN/UIN : 21AABCK3204C1ZJ

Tensa, Sundargarh, Orissa

161 Rabindra Sarani Kolkata700007

onkargroup@hotmail.com



KORP RESOURCES PVT. LTD.

THE NAME YOU RELY THE CONFIDENCE WE BUILT

xxvi ii	A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	The present plan is approved for 5 years which is effective for the period April 2023 to Mar 2028, with progressive mine closure plan. The life of the mine is more than 5 years. Final mine closer plan can be before 5 years of mine closure.
------------	--	---

B. General Conditions:

i.	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment & Forests.	No change in mining technology and scope of working is done. All operation are carried out as per scope of work approved by MoEF limiting the work upto 1,20,000 Tons per year.
ii.	No change in the calendar plan including excavation, quantum of mineral iron ore and the waste shall be made.	Work is done as per the stipulations of present EC limiting the production to 1,20,000 Tons and handling of waste.
iii.	At least four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone .for RSPM, SPM, SO ₂ &NO _x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	Four monitoring stations have been set-up in core zone and Four in buffer zone. Monitoring of RSPM (PM ₁₀), SPM, SO ₂ &NO _x is being done monthly in consultation with OSPCB and reports are submitted to OSPCB regularly.
iv.	Data on ambient air quality (RSPM, SPM, SO ₂ &NO _x) should be regularly submitted to the Ministry including its Regional office located at Bhubaneswar and the State Pollution Control Board / Central Pollution Control Board once in six months.	Monitoring of RSPM (PM ₁₀), SPM, SO ₂ &NO _x is being done monthly and reports are submitted to the Ministry, OSPCB, CPCB& ROIOSPCB regularly.
v	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading, unloading and at transfer points should be provided and properly maintained.	•To control fugitive dust, all measures like water sprinkling haul road and in all vulnerable points is done regularly with proper road maintenance for effective dust control. Water spraying is done by mobile water tanker as well as by sprinklers fitted in pipeline. Loading point like feed hopper, unloading points and stacking points, transfer points are fitted with

CIN : U51500WB1994PIC063926

GSTIN/UIN : 21AABCK3204C1ZJ

Tensa, Sundargarh, Orissa

161 Rabindra Sarani Kolkata700007

onkargroup@hotmail.com



KORP RESOURCES PVT. LTD.

THE NAME YOU RELY THE CONFIDENCE WE BUILT

		suitable sprinklers so as to keep the material moist and to keep the dust concentration level under control.																				
vi.	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.	Proper maintenance of the equipment's are being done for control of noise, Noise level in all working places is being monitored. Workers have been provided with ear plugs wherever necessary. Work is done in general shift only, no night operation done. HEMM of lower capacity are used the noise level of which is much below the permissible limit.																				
vii.	Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	There is no workshop or maintenance is done inside the MI area. Whatever Oil & Grease cotton waste or any such material is used are kept properly stores and disposed. So no no trap for treatment of waste water of workshop has been provided. There is no waste water from mines except rainy season which is discharged through settling tank and monitored.																				
viii.	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Health surveillance programs are being conducted and the personnel working in dusty area have been properly trained and provided with protective equipment's.																				
ix.	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	An environment Management Cell has been created consisting of Mines manager, Geologist, Mechanical engineer, 'Mines foreman, Mining Mate, supervisor, 2 attendants / field man.																				
x.	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be, reported to the Ministry and its Regional Office located at Bhubaneswar.	Separate fund allotment has been done and kept for this purpose only. The yearly expenses made are as follows: Rupees in Lakhs <table border="1"><tr><td>2009 -10</td><td>12</td><td>2017-18</td><td>12</td></tr><tr><td>2010-11</td><td>14</td><td>2018-19</td><td>14</td></tr><tr><td>2011 -12</td><td>15</td><td>2019-20</td><td>30</td></tr><tr><td>2012-13</td><td>21</td><td>2020-21</td><td>26</td></tr><tr><td>2013 -14</td><td>20</td><td>2021-22</td><td>35</td></tr></table>	2009 -10	12	2017-18	12	2010-11	14	2018-19	14	2011 -12	15	2019-20	30	2012-13	21	2020-21	26	2013 -14	20	2021-22	35
2009 -10	12	2017-18	12																			
2010-11	14	2018-19	14																			
2011 -12	15	2019-20	30																			
2012-13	21	2020-21	26																			
2013 -14	20	2021-22	35																			

CIN : U51500WB1994PIC063926

GSTIN/UIN : 21AABCK3204C1ZJ

Tensa, Sundargarh, Orissa

161 Rabindra Sarani Kolkata700007

onkargroup@hotmail.com



KORP RESOURCES PVT. LTD.

THE NAME YOU RELY THE CONFIDENCE WE BUILT

		2014-15	18	2022-23	32
		2015-16	20	2023-24	30
		2016-17	22	2024-25	30
xi.	The project authorities should inform to the Regional Office located at Bhubaneswar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	Date of financial closures - 31 st March Date of final approval of the project- 1 st April 2009 for enhancement of production to 1,20,000 Tons per year. The mine was in operation prior to 2009 and land development made earlier which have been intimated to SPCB..			
xii.	The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	OSPCB regional office is regularly examining compliance status every year before renewal of CTO for the next year. Also visits site and verify the details of compliances at site in different seasons.			
xiii.	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Bhubneswar, Central Pollution Control Board and State Pollution Control Board. The project proponent shall upload the status of compliance of the environment clearance conditions on their website and, update the same periodically and simultaneously send the same bye-mail to the Regional Office, Ministry of Environment and Forests, Bhubneswar.	One web site of company opened and data are updated (https://www.korpresources.in)			
xiv.	A copy of clearance letter will be marked to concerned Panchayat/ local NGO, if any, from whom suggestion /representation has been received while processing the proposal. The clearance letter shall also be put on the web site of the company.	After obtaining EC copy of the grant order was provided to local panchayat, local reporters of news papers. Public hearing details and suggestions have been placed in web site.			
xv.	The State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and the Collector's office, Tehsildar's Office for 30 days.	We had submitted letters to DIC, OSPCB, Dist collector, Tahasildar and DFO enclosing copy of EC with request to place in notice board.			

CIN : U51500WB1994PIC063926

GSTIN/UIN : 21AABCK3204C1ZJ



Tensa, Sundargarh, Orissa



161 Rabindra Sarani Kolkata 700007

onkargroup@hotmail.com



KORP RESOURCES PVT. LTD.

THE NAME YOU RELY THE CONFIDENCE WE BUILT

xvi .	The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at website of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located Bhubaneswar.	The clearance letter was published in Odiya daily news papers ie Samaj, Dharitri .
-------	---	--

Encl- Monitoring reports for the period Oct 24 to March 2025..

Tantra Iron Ore Mines,
Korp Resources Pvt Ltd